INDEX TO VOLUME XI

AUTHORS

Adamkin, D. H., 375
Allan, W. C., 3
Anderson, G. C., 19, 216
Angel, J. L., 258
Ariagno, R. L., 311

Baird, T. M., 315
Bak, M., 186
Baldwin, R. B., 311
Barrett, F. F., 319
Bejar, R., 73
Berger, A., 343
Bowen, F. W., Jr., 396
Bracero, L. A., 122
Brazy, J. E., 365
Brion, L. P., 359
Buckles, D. S., 57

Caliwag, W., 347
Carlan, S. J., 105
Carter, M. P., 188
Cassano, W. F., 268
Chen, C., 285
Chen, Y. Q., 231
Christensen, R. D., 355
Cohen, A., 343
Cotsonis, G., 245
Creinin, M., 207
Crone, R. K., 273

Davidovich, M., 343
Desai, N. S., 375
Didomenico, A., 122
Dolan, P. L., 57
Donn, S. M., 112, 390
Douglas, K. A., 336
Downing, G. J., 190
Dysart, M., 245

Edwards, R., 231
Eganhouse, D. J., 249
Elliott, M. J., 268
Enecio, C. E., 117

Falkner, B., 231
Farkouth, L., 326
Fisher, D. E., 315
Fitzgerald, K., 386
Freeman, B., 347
Fulroth, R., 311

Gagnon, D. E., 168
Giacola, G. P., 239
Gibbs, B., 330
Gillette, P. C., 57
Gimovsky, M. L., 290, 386
Glotzbach, S. F., 311
Goh, W., 386
Goldie, E., 10
Goldkrand, J. W., 25, 326
Goldsmith, J. P., 285
Goldstein, R. F, 365
Graff, M., 10
Graven, S. N., 130
Graves, B. W., 245
Green, D. W., 394
Greer, M., 300
Grohar, J. C., 174

Hadeed, A. J., 19
Hamilton, T., 63, 182
Harkavy, K. L., 15, 117
Hegyi, T., 10
Hiatt, I. M., 10
Hill, L. M., 294
Hull, S., 282
Hulman, S., 231
Hunter, D. D., 355

Ihan, G., 186

Jaffe, M., 343
Jassy, L. J., 77
Jennings, W., 319
Jose, P. A., 15

Kahn, S., 330
Karlman, R., 330
Katz, M., 207
Katz, V. L., 213
Keene, C., 282
Kerner, J. A., Jr., 340
Kilbride, H., 190
Kleinman, G., 282
Knuppel, R. A., 258
Koenig, J. M., 355
Koprubasi, F. F., 186
Kuller, J. A., 294

Laifer, S. A., 294
Laros, R., 207
Lee, G., 10
Lense, J., 105
Litvack, B. L., 25
Lockey, T., 319
Loughead, J. L., 235
Ludington-Hoe, S. M., 19

Mackey, M. C., 262
MacPherson, T. A., 71, 294
Malik, S., 239
Mannino, F., 73
Marchildon, M. B., 375
Martin, G. I., 1, 205
Martin, J. G., 294
Mastrogiannis, D. S., 105
McClead, R. E., Jr., 375
McCulloch, K. M., 375
McKelvey, M. E., 336
Medlock, M. D., 227
Mendoza, J. C., 126
Meredith, J. T., 227
Meyer, S. G., 66
Mitre, B., 294

Nocon, J. J., 103

O'Brien, W. F., 258
Ochikubo, C. G., 340
O'Connell, K. J., 372
Ozcan, T., 186

Palmer, T. W., 112
Paris, J. J., 273, 372
Parsons, M. T., 105
Pass, C. M., 302, 398
Paton, J. B., 315
Pearl, G., 227
Peck, M., 347
Perez-Woods, R., 174, 330
Philip, A. G. S., 3
Pietrantoni, M., 258
Polansky, M., 231
Polich, S., 174
Pollack, L., 227
Pryce, C. J. E., 390

Rajani, K. B., 347
Reardon, F. E., 273
Reece, C., 227
Reinersman, G., 359
Rhead, W. J., 227
Riffel, H. D., 297
Roberts, J. L., 126
Robichaux, W. H., 71
Rock, S. G., 174
Rodgers, P. A., 340
Roth, P., 359
Rovell, K., 10
Rubinstein, T. H., 279, 383

Sacks, L. M., 188
Schaffer, M. S., 57
Schifrin, B. S., 63, 182, 279, 383
Sekar, K. C., 15
Sharp, E. S., 245
Sherman, F., 73
Shields, J. R., 279
Shook, S., 347
Skaredoff, M., 174
Stevenson, D. K., 340

Taren, D. L., 130

Thorkelsson, T., 235
Thorp, J. M., Jr., 213
Tirosh, E., 343
Tomich, P., 174
Trippel, D. L., 57
Tse, A., 330
Tse, A. M., 174

Uri, M., 282

Vega-Rich, C., 359
Visveshwara, N., 347

Wald, B., 400
Watson, W. J., 213
West, K., 239
Wiley, K., 330
Wyble, L., 105

Young, R. H., 57

Zuasnabar, A., 73

SUBJECTS

Access to care
  discharge planning and, 193-194
  legislation, 396-397
  nursing perspective, 79-80
  parents and, 300-301
  as political issue, 79-80
Acquired immunodeficiency syndrome (AIDS), 83, 303. *See also* HIV infections
Acyl-CoA dehydrogenase disorder, multiple, 227-230
Adolescent pregnancy program, 89
Advertisements, hospital, 374
AIDS (Acquired immunodeficiency syndrome), 83, 303. *See also* HIV infections
Alcohol consumption, during pregnancy, 87, 172-173
Alpha-fetoprotein, in multiple acyl-CoA dehydrogenase disorder, 227-230
Amino acid formulations, comparison of, 375-381
Aminophylline-resistant apnea, doxapram for, 359-364
Aminosyn-PF, vs. TrophAmine, 375-381
Amniotic fluid, meconium-stained, 245-248
Antepartum fetal assessment, nursing education model, 91
Antepartum hospital bedrest, physical and psychosocial effects, 398
Anthropometric measurements, total bilirubin formation and, 340-342
Antibiotic therapy, intrapartum for perinatal *Listeria monocytogenes* infection, 83
Anticardiolipin antibodies, fetal outcome and, 33-36
Apnea
  aminophylline-resistant, doxapram for, 359-364
  recurrent, four-channel pneumogram of, 10-13
Atrial thrombosis, with brain infarctions, 73-76

Baby Doe regulations, 53
Bacterial infections, C-reactive protein levels and, 319-324. *See also specific types of bacterial infections*
Battered pregnant women, 302-303
Beractant (Survanta), 83-84
Bilirubin, anthropometric measurements and, 340-342
Birth defects. *See* Congenital disorders
Birthing rooms, 262-266
Birthweight, blood pressure values and, 147-151
Blacks, nonstress test reactivity and, 41-45
Blood culture results, CRP levels and, 319-324
Blood pressure, neonatal
  birthweight and, 147-151
  in first three days of life, 231-234
  fluctuations in RDS, narcotic sedation for, 365-370
Blood transfusions, neonatal
  CPDA-1 stored red blood cells for, 37-40
  packed red cell, hematocrit and, 161-163
  twin-twin transfusion syndrome, 355-358
Body position, oxygen therapy and, 315-317
Book reviews
  Assisted Ventilation of the Neonate, 98
  Birth Defects Encyclopedia, 202
  Caffey's Pediatric X-ray Diagnosis, 98
  Current Pediatric Therapy, 401
  Current Therapy In Neonatal-Perinatal Medicine, 99
  Epidemiology of Human Reproduction, 201
  Medical Disorders in Obstetric Practice, 305-306
  Memory Bank for Neonatal Drugs, 401
  Neonatal Respiratory Care, 304
  Neonatal Seizures, 97-98
  Practical MRI Atlas of Neonatal Brain Development, 202
  Spinal Tumors in Children and Adolescents, 400
  When a Baby Dies: Psychotherapy for Pregnancy and Newborn Loss, 305
BPD. *See* Bronchopulmonary dysplasia
Bradycardia, four-channel pneumogram of, 10-13
Brain infarctions, with nonbacterial endocardial thrombosis, 73-76
Braxton-Hicks contractions, head molding and, 110
Brazelton neonatal behavioral assessment scale, and excitability/habituation, 343-346
Bronchopulmonary dysplasia (BPD)
  clinical scoring system, 311-313
  incidence, 312
  late pulmonary sequelae, 197-199

Caffeine, prenatal effects, 398-399
Cannaboids, usage patterns, at time of labor, 87
Carboxyhemoglobin, in macrosomic infants, 340-342
Cardiopulmonary resuscitation instruction, for new mothers, 91-92
Cardiovascular toxicity, secondary to terbutaline tocolysis, 235-238
Certified nurse-midwife-directed high-risk twins clinic, 84-85
Cervical cerclage, 258-261
Cesarean section
  after failed forceps delivery, 63-65
  periventricular-intraventricular hemorrhage and, 3-8
  postoperative pain control, 81, 174-180
Childbirth education needs assessment, 95
Chlamydia trachomatis, 90-91
Circumcision, pain reduction interventions, 398
Coagulase-negative staphylococci, 199-200
Cocaine, maternal usage patterns at time of labor, 87
Cocaine-exposed infants
  necrotizing enterocolitis and, 30-32
  treatment guidelines, 95-
Computer systems, for labor and delivery units, 399
Congenital disorders, 202
  eventration of diaphragm, 394-395
  fetal heart rate abnormalities and, 383-385
  hypophosphatasia, 282-284
  oculoauriculovertebral dysplasia, 190-192
  prevalence estimates, 86
  teratoma, 294-296
CPDA-1 stored red blood cells, for neonatal transfusion, 37-40
C-reactive protein, in neonatal bacterial infection, 319-324

Decision-making, clinical, 81-82
  decision support system, 94
  physican refusal of requested treatment, 273-275

Developmental insult prediction, in preterm infants, 90
Diabetes, maternal, infantile bilirubin formation and, 340-342
Diaphragm eventration, 394-395
Discharge planning, access to care and, 193-194
Doxapram
  for apnea unresponsive to aminophylline, 359-363
  toxicity of, 359
Drugs, 401. *See also specific drugs*

ECMO (extracorporeal membrane oxygenation), 392
Electrocardiography QTc intervals, in SIDS surveillance, 57-62
Electronic fetal monitoring program grant, 91
β-Endorphin levels, in preterm infants, 93
Erythropoietic differentiation antigens, gestational age assessment and, 268-272
Ethics
  clinical decision-making, 81-82
  meningomyelocele care, decision-making process, 51-55
  physican refusal of requested treatment, 273-275
  withdrawal of nutrition for neurologically devastated infant, 372-373
Euthanasia, 274, 372-373
Excitability, respiratory habituation and, 343-346
External cephalic version, guidelines for, 299
Extracorporeal membrane oxygenation (ECMO), 392

False labor, vs. early labor, 249-256
Femur length, fetal maturity and, 157-160
Fentanyl, blood pressure fluctuations in RDS and, 365-370
Fetal death certificates, coding of underlying cause of death, 92
Fetal distress, delayed cesarean section and, 182-185
Fetal heart rate pattern
  abnormal, emergency cesarean section for, 383-385
  saltatory, 386-389
  with severe placental abruption, 290-293
  vibroacoustic stimulation and, 25-28
Fetal maturity, femur length and, 157-160
Fetal outcome, anticardiolipin antibodies and, 33-36
Fetal presentation or lie, abnormal, protocol for, 297-299
Forceps delivery, abnormal labor curve and, 63-65
Free thyroxine, in preterm vs. term infants, 117

Genetic disorders, withdrawal of nutrition for, 372-373
Gestational age, incidence of meconium-stained amniotic fluid and, 245-248
Gestational age assessment
  by erythrocyte differentiation antigen expression, 268-272
  in LBW infants, 85
  in VLBW infants, 85
Glomerular filtration rate, in VLBW infants, 15-18
Glutaric acidemia type II, 227-234
Goldenhar anomalad, 190-192
Grief process, of parents with premature infants in NICU, 95
Group B streptococcal meningitis, with purpura fulminans, 144-146
Group B streptococcal sepsis, vs. *Hemophilus influenzae* sepsis, 127-129
Growth retardation, prediction in bronchopulmonary dysplasia, 312

Habituation, vibroacoustic stimulation and, 25-28
Head molding, 105-110
Health care, for HIV-positive mother-child pairs, 83
Health care industry, 309
  access to care. *See* Access to care
Health care program, maternal and infant, 82-83
Heart rate, skin-to-skin contact and, 22-23
Hemangioma, in Klippel-Trenaunay-Weber syndrome, 186-187
Hematocrit, packed red cell transfusion and, 161-163
Hemophilus influenzae sepsis, early-onset, 126-129
Hepatitis B screening, in private obstetric population, 164-166
Hiccoughs, fetal, vibroacoustic stimulation and, 326-328
High-frequency jet ventilation, 392
High-risk infants
  certified nurse-midwife-directed high-risk twins clinic, 84-85
  healthy start participants, epidemiology of, 85-86
  intervention services for rural familes, 84
High-risk obstretric patients, ambulatory care, 87-88
High-risk pregnancies, maternal-fetal attachment and, 86-87
Hispanic pregnant women, 91
HIV infections. *See also* Acquired immunodeficiency syndrome (AIDS)
  pediatric, 88
  perinatal, nursing care attitudes and, 82
Home uterine activity monitoring, 88
Hospital advertisements, 374
Hydrops fetalis, resuscitation in, 285-289
Hypophosphatasia, congenital, 282-284

Illicit drug use
  patterns, at time of labor, 87
  prevalence in prenatal population, 330-334
Immunoglobulins, for infection prevention in BPD, 239-243
Infants of addicted mothers, 193
Infection prevention in BPD, with intravenous immunoglobulins, 239-243
Inulin clearance, of VLBW infants, 15-18

Joint-venturing perinatal services, 309-310

Kangaroo care, for preterm infants, 216-226
Kidney function, in very low birthweight infants, 15-18
Klippel-Trenaunay-Weber syndrome, 186-187

Labor
  abnormal, with inappropriate use of forceps, 63-65
  early, vs. false labor, variables of, 249-256
Labor and delivery units, computer systems, 399
LBW infants. *See* Low birthweight infants
Learning disability, nonverbal, 66-70
Legislation, access to care, 396-397
Listeria monocytogenes infection, intrapartum antibiotic therapy for, 83
Locking mechanism for molding, 105-110
Low birthweight infants (LBW)
  gestational age assessment, 85
  risk factors of racial groups, 81
  sudden infant death syndrome and, 96

Macrosomia, bilirubin formation and, 340-342
Magnetic resonance imaging, 202
Malnutrition, maternal, 276
Malpractice, value for cases, 49-50, 277-278
MAMA (Maternal Adjustment and Maternal Attitudes), 249-256
Managed competition concept, neonatal intensive care unit and, 168-171
Manual ventilation, replication of ventilator cycling rate, 336-339
March of Dimes Birth Defects Foundation scoring system, 130-136
Massachusetts, electronic fetal monitoring program grant, 91
Maternal Adjustment and Maternal Attitudes (MAMA), 249-256
Maternal-fetal attachment, 86-87
Maternal thinking, 85
Mechanical ventilation, 98
  in hydrops fetalis, 285-289
  rate replication, by manual ventilation, 336-339
  synchronized assisted ventilation in infants, 347-354
Meconium-aspiration syndrome
  C-reactive protein in, 319-324
  meconium-stained neonates and, 46-48
Meconium-stained amniotic fluid, incidence of, 245-248
Meconium-stained neonates, delivery room management of, 46-48
Medical day care, 194
Medical disorders, 305-306

Medical-legal issues
  delayed cesarean section, 182-185
  emergency cesarean section, 383-385
  equivocal to chronic nonstress test, 279-281
Meningomyelocele, ethical issues of, 51-55
Mentovertical diameter, 105-110
Morbidity, neonatal, 305
  triplets, 207-211
Morphine
  blood pressure fluctuations in RDS and, 365-370
  patient-controlled, for postcesarean pain, 174-180
Mortality, neonatal triplets, 207-211
Mortality, postneonatal, 89
Multidisciplinary program, for prenatal care, 93-94

Narcotic sedation, for blood pressure fluctuations in RDS, 365-370
Necrotizing enterocolitis, in utero cocaine exposure and, 30-32
Neonatal intensive care unit
  follow-up paradigms, 95
  managed competition concept and, 168-171
  staff, neonatal outcome prediction and, 152-156
Neurodevelopmental outcome, for subarachnoid hemorrhage, 115-116
Neuropsychological assessment, of nonverbal learning disability, 68-69
Neutropenia, in twin-twin transfusion syndrome, 355-358
Newborns-Have-Rights-Also groups, 172-173
Nonbacterial endocardial thrombosis, with brain infarctions, 73-76
Nonstress test, 28
  effect of vibroacoustic stimulation on hiccoughs, 326-328
  equivocal to chronic, 279-281
  reactivity, racial differences in, 41-45
Nonverbal learning disability syndrome, 66-70
Nuchal cystic hygroma, spontaneous resolution, 213-214
Nurse attitudes, on care for perinatally transmitted HIV infection, 82
Nurse judgments, in prediction of prenatal illicit drug use, 330-334
Nurse-midwives, training for, 86
Nurse Perception of Patient Pain Scale, 177
Nursing education model, antepartum fetal assessment, 91
Nursing specialties, 302
Nutrition withdrawal, for neurologically devastated infant, 372-373

Oculoauriculovertebral dysplasia, pulmonary malformations of, 190-192
Osteogenesis imperfecta type II, 71-72
Outcome
  neonatal, in regionalized prenatal care system, 137-143
  perinatal, improvement, 94
Outcome prediction, by neonatal intensive care unit staff, 152-156
Oxygen therapy
  body position and, 315-317
  for bronchopulmonary dysplasia, 312
Oxytocin, fetal heart rate and, 386, 387

Packed red cell transfusion, hematocrit and, 161-163
Pain control
  after cesarean birth, 174-180
  for circumcision, 398
  postcesarean, 81
Pancuronium, 365
Parents, access to care and, 300-301
Patent ductus arteriosus, 188-189
Patient-controlled analgesia (PCA), for postcesarean pain control, 81, 174-180
Patient education, enhanced, 90
Patient Subjective Perception of Pain Score, 177
PEEP (positive end-expiratory pressure), rate replication, by manual ventilation, 336-339
Perinatal databases, reduction of erroneous data, 92-93
Periventricular-intraventricular hemorrhage, cesarean section preterms, 3-8
Physical effects, of antepartum hospital bedrest, 398
Physican refusal of requested treatment, 273-275
Physician-parent relationship, in ethical decision- making, 54-55
Placental abruption
  with fetal distress and preeclampsia, 182-185
  fetal heart rate monitoring and, 290-293
Pneumogram, four-channel, of recurrent apnea and bradycardia, 10-13
Politics, of access to care, 80
Positive end-expiratory pressure (PEEP), rate replication, by manual ventilation, 336-339
Preconceptual health care, 95
Precordial stethoscope, for neonatal resuscitation, 77-78
Preeclampsia
  delayed cesarean section for, 182-185
  massive antepartum vulvar edema of, 122-125
Premature infants
  comparison of amino acid formulations, 375-381
  developmental insult prediction, 90
  locking mechanism for head molding, 105-110
  skin-to-skin care, 216-226
  skin-to-skin contact, physiologic responses of, 19-25
  thyroid hormone levels in, 117-121
Premature rupture of membranes, 302
Prenatal care, inadequate, 276
Prenatal population, illicit drug use, prevalence of, 330-334
Preterm risk scoring systems, sensitivity and specificity of, 130-136
Program to Improve Maternal and Infant Health in New Jersey (PIMIH), 82-83
Prone positioning, oxygen therapy and, 315-317
Protect the Newborn Act, 172-173
Psychophysiological adaptation, in pregnancy, 81
Psychosocial effects, of antepartum hospital bedrest, 398
Pulmonary malformations, of oculoauriculovertebral dysplasia, 190-192
Pulmonary sequelae, late, bronchopulmonary dysplasia, 197-199
Purpura fulminans, in group B streptococcal meningitis, 144-146

Quality of life, vs. sanctity of life, 53-54

Race
  content of prenatal care and, 93
  illicit drug use patterns, at time of labor, 87
  nonstress test reactivity and, 41-45
  risk factor with VLBW and LBW infants, 81
  sudden infant death syndrome and, 96
Radiography, 98
  of diaphragm eventration, 394-395
  umbilical artery catheter malposition, 188-189
Rectal temperature, skin-to-skin contact and, 23
Regionalized perinatal care
  computerized quality assurance program, 94
  managed competition concept and, 168-171
  prenatal system, 137-143
  in Tenessee, 89-90
Resource directory, for children with special needs, 83
Respiratory care, 304
Respiratory distress syndrome (RDS), blood pressure fluctuations, narcotic sedation for, 365-370
Respiratory habituation, excitability and, 343-346
Respiratory rate, skin-to-skin contact and, 22-23
Respiratory syncytial virus infection, with bronchopulmonary dysplasia, 390-392
Resuscitation, neonatal
  efficiency, 93
  with precordial stethoscope, 77-78
Reticulocyte count, gestational age assessment and, 268-272
Rights of newborns, 53, 274

Risk assessment, 81
Route of delivery, periventricular-intraventricular hemorrhage and, 3-8

Sanctity of life, vs. quality of life, 53-54
Satisfaction Scale Score, 177
Scarcity of resources, 54
Seizures, neonatal, 97-98
Sensory-integration assessment, of nonverbal learning disability, 67-68
Sepsis, neonatal, 302
  environmental and demographic features, 88
  Hemophilus influenzae, 126-129
Skin temperature, skin-to-skin contact and, 23
Skin-to-skin contact
  physiologic responses of premature infants, 19-24
  for preterm infants, 216-226
Smoking, maternal, 96
  cessation methods for pregnancy smokers, 88
  sudden infant death syndrome and, 96
Software review, 99
Spanish-speaking staff, 91
Spinal tumors, review of *Spinal Tumors in Children and Adolescents* by Pascual-Castroviejo, I., 400
Spirometry, maternal, patient-controlled analgesia and, 177, 179-180
Spontaneous abortion, 96
Spontaneous respirations, narcotic sedation and, 365-370
Staphylococci, coagulase-negative, 199-200
Staphylococcus epidermidis, positive blood cultures, 321-322
Steroid therapy, postnatal, 312
Subarachnoid hemorrhage, in term neonate, 112-116
Subcutaneous infusion therapy, teaching implications, 87
Suboccipito-bregmatic diameter, 105-110
Substance abuse
  perinatal program for, 96
  in pregnancy, 86, 87
Sudden infant death syndrome, 96
  maternal smoking, low birthweight and race, 96
  risk of, 96
  surveillance, QTc intervals, 57-62
Supine positioning, oxygen therapy and, 315-317
Survanta (beractant), 83-84
Synchronized assisted ventilation in infants (SAVI), long-term evaluation, 347-354
Systemic lupus erythematosus, antiphospholipid antibodies and, 33

Tenessee, regionalized perinatal care, 89-90, 137-143
Teratoma, fetal, 294-296
Terbutaline tocolysis, long-term subcutaneous, 235-238
Thyroid-stimulating hormone, in preterm vs. term infants, 117-121
Thyroxine, in preterm vs. term infants, 117-121
TOCE scoring system for BPD, 311-313
Total parenteral nutrition (TPN), comparison of amino acid formulations, 375-381
Transcutaneous oxygen monitoring, body position and, 315-317
Transporation, evaluation in regionalized prenatal care system, 137-143
Triiodothyronine, in preterm vs. term infants, 117-121
Triplet pregnancy, 207-211
TrophAmine, vs. Aminosyn-PF, 375-381
Twins, certified nurse-midwife-directed high-risk twins clinic, 84-85
Twin-twin transfusion syndrome, 355-358

Ultrasound
  diagnosis of fetal head molding, 105-110
  femur length measurements for maturity prediction, 157-160
  for hypophosphatasia diagnosis, 282-284
  of primary atrial thrombosis with brain infarctions, 73-76
Umbilical artery catheter, malpositioned, 188-189
Umbilical vein catheterization, prospective study, 82
Uterine activity, home monitoring system, 88

Vaginal delivery, periventricular-intraventricular hemorrhage and, 3-8
Valpractice, 49-50, 277-278
Ventilation, assisted
  manual, replication of ventilator cycling rate, 336-339
  mechanical. *See* Mechanical ventilation
Very low birthweight infants (VLBW)
  apnea unresponsive to aminophylline, doxapram for, 359-363
  gestational age assessment, 85
  intellectual and functional status at school entry, 195-197
  kidney function of, 15-18
  risk factors of racial groups, 81
Vibroacoustic stimulation
  fetal heart rate patterns and, 25-28
  habituation and, 25-28
  hiccoughs and, 326-328
Viral culture results, CRP levels and, 321-324
VLBW. *See* Very low birthweight infants
Vulvar edema, in preeclampsia, 122-125